Parasite Immunology 1985, **7**, 669–672

Author index to Volume 7

ADJUKIEWICZ A.B., see HAGAN P. *et al.*
ANDERS R.F., see SAUL A. *et al.*
ARELLANO J., see KRETSCHMER R. *et al.*

BARNWELL J.W., see SHERWOOD J.A. & BARNWELL J.W.
BARROWMAN M.M., see HARNETT W. *et al.*
BEALL J.A., see MITCHELL *et al.*
BEFUS A.D., see EGWANG T.G. *et al.*
BEHNKE J.M. & ROBINSON M. Genetic control of immunity to *Nematospiroides dubius*: a 9-day anthelmintic abbreviated immunizing regime which separates weak and strong responder strains of mice 235
BEHNKE J.M., see STOREY N. *et al.*
BEHNKE J.M., see PRITCHARD D.I. *et al.*
BELOSEVIC M., FAUBERT G.M. & MACLEAN J.D. Giardia muris-induced depression of the primary immune response in spleen and mesenteric lymph node cell cultures to sheep red blood cells 467
BLUMENTHAL U.J., see HAGAN *et al.*
BOLEY R.B., see STEWART G.L. *et al.*
BONE L.W., see BOTTJER K.P. *et al.*
BONNEL B., see HAQUE A. *et al.*
BONVENTRE P.E., see NICKOL A.D. & BONVENTRE P.E.
BOON T., see TITUS R.G. *et al.*
BOTTJER K.P., KLESIUS P.H. & BONE L.W. Effects of host serum on feeding by *Trichostrongylus colubriformis* (nematoda) 1
BOYER M.H., see NICKELL S.P. *et al.*
BRENER Z., see LIMA-MARTINS M.V.C. *et al.*
BROWN J. & GREENWOOD B.M. Cellular and humoral inhibition of *Plasmodium falciparum* growth *in vitro* and recovery from acute malaria 265
BROWN C.G.D., see PRESTON P.M. & BROWN C.G.D.
BROWN G.V., see SAUL A. *et al.*
BROWN K.N., see JARRA W. & BROWN K.N.
BUEDING E., see FELDMAN G.M. *et al.*
BUTTERWORTH A.E. & RICHARDSON B.A. Factors affecting the levels of antibody- and complement-dependent eosinophil-mediated damage to schistosomula of *Schistosoma mansoni in vitro* 119
BYRAM J.E., see CHEEVER A.W. *et al.*

CAPRON A., see HAQUE A. *et al.*
CASTRO E.M., see KRETSCHMER R. *et al.*
CHANDRASHEK R., RAO U.R. & SUBRAHMANYAM D. Serum dependent cell-mediated immune reactions to *Brugia pahangi* infective larvae 633
CHEEVER A.W., BYRAM J.E. & VON LICHTENBERG F. Immunopathology of *Schistosoma japonicum* infection in athymic mice 387
CHEEVER A.W., BYRAM J.E., HIENY S., VON LICHTENBERG F., LUNDE M.N. & SHER A. Immunopathology of *Schistosoma japonicum* and *S. mansoni* infection in B. cell depleted mice 399
CLARK N.W.T., see PARKHOUSE R.M.E. *et al.*
CALLADO M.L., see KRETSCHMER R. *et al.*
COOPER J., see SAUL A. *et al.*
CRAWFORD C.R., see PRITCHARD D.I. *et al.*
CRUISE K.M., see MITCHELL *et al.*
CUNA W., see HAQUE A. *et al.*
DALTON J.P., TOM T.D. & STRAND M. *Fasciola hepatica*: comparison of immature and mature immunoreactive glycoproteins 643
DENHAM D.A., see PARKHOUSE R.M.E. *et al.*
DE ROSSI R., see SIMPSON A.J.G. *et al.*
DESOWITZ R.S. & RAYBOURNE R. Perinatal immune priming in malaria: antigen-induced blastogenesis and adoptive transfer of resistance by splenocytes from rats born of *Plasmodium berghei* infected females 451
DUCE I.R., see PRITCHARD D.I. *et al.*

DUFFUS W.P.H., see TOWNSEND J. & DUFFUS W.P.H.

EGWANG T.G., RICHARDS C.D., STADNYK A.W., GAULDIE & BEFUS A.D. Multinucleate giant cells in murine and rat lungs during *Nippostrongylus brasiliensis* infections. A study of the kinetics of the response *in vivo*, cytochemistry, IgG- and C3-mediated function 11
ELLING W.M.C., see VAN ZON A.A.J.C. *et al.*
EVANS W.H., see PAYARES G. *et al.*

FANNING M.M. & KAZURA J.W. Further studies on genetic variation of hepatosplenic disease and modulation in murine schistosomiasis mansoni 213
FAUBERT G.M., see BELOSEVIC M. *et al.*
FELDMAN G.M., NAPLES J.M., SEED J.L. & BUEDING E. Effects of anethole dithiolthione and 2(3)-tert-butyl-4-hydroxyanisole on schistosome granuloma formation 567

GALVAO-CASTRO B., see SILVA J.C. *et al.*
GARCIA E.G., see MITCHELL *et al.*
GAULDIE J., see EGWANG T.G. *et al.*
GHADIRIAN E. & KONGSHEVN P.A.L. The effect of splenectomy on resistance of mice to *Entamoeba histolytica* infection 479
GOTTSTEIN B. Purification and characterization of a specific antigen from *Echinococcus multilocularis* 201
GREENWOOD B.M. The immunology of malaria—a view from the bush 191
GREENWOOD B.M., see BROWN J. & GREENWOOD B.M.
GREENWOOD B.M., see HAGAN P. *et al.*

HACKETT F., see SIMPSON A.J.G. *et al.*
HAGAN P., MOORE P.J., ADJUKIEWICZ A.B., GREENWOOD B.M. & WILKINS H.A. In-vitro antibody-dependent killing of schistosomula of *Schistosoma haematobium* by human eosinophils 617
HAGAN P., WILKINS H.A., BLUMENTHAL U.J., HAYES R.J. & GREENWOOD B.M. Eosinophilia and resistance to *Schistosoma haematobium* in man 625
HAQUE A., CUNA W., BONNEL B., CAPRON A. & JOSEPH M. Platelet mediated killing of larvae from different filarial species in the presence of *Dipetalonema vitae* stimulated IgE antibodies 517
HARNETT W., KUSEL J.R. & BARROWMAN M.M. The use of alderhydes to show a relationship between host and parasite antigens at the surface of adult male *Schistosoma mansoni* 415
HARTE P.G., ROGERS N.C. & TARGETT G.A.T. Monoclonal anti-gamete antibodies prevent transmission of murine malaria 607
HAYES R.J., see HAGAN P. *et al.*
HERMSEN C.C., see VAN ZON A.A.J.C. *et al.*
HESKETH P., see HUNTLEY J.F. *et al.*
HESKETH P., see ROSE M.E. *et al.*
HIENY S., see CHEEVER A.W. *et al.*
HOFF R., see NICKELL S.P. *et al.*
HUNTLEY J.F., NEWLANDS G.F.J., MILLER H.R.P., MCLAUCHLAN M., ROSE M.E. & HESKETH P. Systemic release of mucosal mast cell protease during infection with the intestinal protozoal parasite, *Eimeria nieschulzi*. Studies in normal and nude rats 489

INGRAM L., see SAUL A. *et al.*

JAMES S.L., see MCLAREN D.J. & JAMES S.L.
JARRA W. & BROWN K.N. Protective immunity to malaria: studies with cloned lines of *Plasmodium chabaudi* and *P. berghei* in CBA/Ca mice. I. The effectiveness and inter- and intra-species specificity to immunity induced by infection 595
JOSEPH M., see HAQUE A. *et al.*

KAKINUMA M., see YAMAMOTO K. *et al.*
KATO K., see YAMAMOTO K. *et al.*
KAZURA J.W., see FANNING M.M. & KAZURA J.W.
KIMURA T., see YAMAMOTO K. *et al.*
KIYOTO M., see NAWA Y. *et al.*
KLESIUS P.H., see BOTTJER K.P. *et al.*
KONGSHAVN P.A.L. see GHADIRIAN E. & KONGSHAVN P.A.L.
KORENAGA M., see NAWA Y. *et al.*
KOTANI M., see NAWA Y. *et al.*
KRETSCHMER R., COLLADO M.L., PACHECO M.G., SALINAS M.C., LOPEZ-OSUNA M., LECUONA M., CASTRO E.M. & ARELLANO

J. Inhibition of human monocyte locomotion by products axenically grown *E. histolytica* 527
KRETTLI A.U., see LIMA-MARTINS M.V.C. *et al.*
KUSEL J.R., see HARNETT W. *et al.*

LECONA M., see KRETSCHMER R. *et al.*
LIMA-MARTINS M.V.C., SANCHEZ G.A., KRETTLI A.U. & BRENER Z. Antibody-dependent cell cytotoxicity against *Trypanosoma cruzi* is only mediated protective antibodies 367
LINDBLAD R., see NILSSON L.-A. *et al.*
LINDER E., see MERI S. *et al.*
LOBOS E. & WEISS N. Immunochemical comparison between worm extracts of *Onchocerca volvulus* from savanna and rain forest 333
LOPEZ-OSUNA M., see KRETSCHMER R. *et al.*
LOUIS J.A., see TITUS R.G. *et al.*
LUNDE M.N., see CHEEVER A.W. *et al.*

MACLEAN J.D., see BELOSEVIC M. *et al.*
MAIZELS R.M., see PARKHOUSE R.M.W. *et al.*
MARCHAND M., see TITUS R.G. et al.
MCLAREN D.J., PEARCE E.J. & SMITHERS S.R. Site potential for challenge attrition in mice, rats and guinea pigs vaccinated with irradiated cercariae of *Schistosoma mansoni* 29
MCLAREN D.J., see PAYARES G. *et al.*
MCLAREN D.J. & JAMES S.L. Ultrastructural studies of the killing of schistosomula of *Schistosomula mansoni* by activated macrophages *in vitro* 315
MCLAUCHLAN M., see HUNTLEY J.F. *et al.*
MERI S., RICHAUD G. & LINDER E. Complement activation by antigenic fractions of *Entamoeba histolytica* 153
MILLER H.R.P., see HUNTLEY J.F. *et al.*
MITCHELL G.F., BEALL J.A., CRUISE K.M., TIU W.U. & GARCIA E.G. Antibody responses to the antigen Sj26 of *Schistosoma japonicum* worms that is recognised by genetically resistant 129/J mice 165
MOORE P.J., see HAGAN P. *et al.*
MORGADO M.G., see SILVA J.C. *et al.*
MORRISON W.I. & MURRAY M. The role of humoral immune response in determining susceptibility of A/J and C57BL/6 mice to infection with *Trypanosoma congolense* 63
MURRAY M., see MORRISON W.I. & MURRAY M.

NAPLES J.M., see FELDMAN G.M. *et al.*
NAWA Y., KIYOTO M., KORENAGA M. & KOTANI M. Defective protection capacity of W/W mice against *Strongyloides ratti* infection and its reconstitution with bone marrow cells 429
NEWLANDS G.F.J., see HUNTLEY J.F. *et al.*
NICKELL S.P., HOFF R. & BOYER M.H. Susceptibility to acute *Trypanosoma cruzi* infection in autoimmune strains of mice 377
NICKOL A.D. & BONVENTRE P.E. Immunosuppression associated with visceral leishmaniasis in hampsters 439
NILSSON L.-A., LINDBLAD R., OLLING S. & OUCHERLONY O. The effect of cyclosporin A on the course of murine infection by *Schistosoma mansoni* 19

OLDHAM G. & WILLIAMS L. Cell mediated immunity to liver fluke antigens during experimental *Fasciola hepatica* infection of cattle 503
OLLING S., see NILSSON L.-A. *et al.*
ONODERA M., see YAMAMOTO K. *et al.*
OSHIMA T., see SUGANE K. & OSHIMA T.
OUCHTERLONY O., see NILSSON L.-A. *et al.*

PACHECO M.G., see KRETSCHMER R. *et al.*
PARKHOUSE R.M.E., CLARK N.W.T., MAIZELS R.M. & DENHAM D.A. *Brugia pahangi*: labelling of secreted antigens with ^{35}S-methionine *in vitro* 665
PATTISON J.R. & STEWARD M.W. Circulating antibody–antigen complexes following *Trypanosoma musculi* infection in mice genetically selected to produce high or low affinity antibody 81
PAYARES G., MCLAREN D.J., EVANS W.H. & SMITHERS S.R. Antigenicity and immunogenicity of the tegumental outer membrane of adult *Schistosoma mansoni* 45
PEARCE E.J., see MCLAREN D.J. *et al.*
PIRMEZ C., see SILVA J.C. *et al.*
PRESTON P.M. & BROWN C.G.D. Inhibition of lymphocyte invasion by sporozoites and the transformation of trophozite infected

lymphocytes *in vitro* by serum from *Theileria annulate* immune cattle 301

PRITCHARD D.I., CRAWFORD C.R., DUCE I.R. & BEHNKE J.M. Antigen stripping from the nematode epiticule using cationic detergent cetyltrimethylammonium bromide (CTAB) 575

RAO U.R., see CHANDRASHEK *et al.*

RAYBOURNE R., see DESOWITZ R.S. & RAYBOURNE R.

RICHARDS C.D., see EGWANG T.G. *et al.*

RICHARDS F.F., see YAMAMOTO K. *et al.*

RICHAUD G., see MERI S. *et al.*

ROBINSON M., see BEHNKE J.M. & ROBINSON M.

ROGERS N.C., see HARTE P.G. *et al.*

ROSE M.E., see HUNTLEY J.F. *et al.*

ROSE M.E., WAKLIN D. & HESKETH P. Susceptibility to coccidiosis: contrasting course of primary infections with *Eimeria vermiformis* in BALB/c and C57/BL/6 mice is based on immune responses 557

SALINAS M.C., see KRETSCHMER R. *et al.*

SANCHEZ G.A., see LIMA-MARTINS M.V.C. *et al.*

SAUL A., COOPER J., INGRAM L., ANDERS R.F. & BROWN G.V. Invasion of erythrocytes *in vitro* by *Plasmodium falciparum* can be inhibited by monoclonal antibody directed against an S antigen 587

SCHETTERS T.P.M., see VAN ZON A.A.J.C. *et al.*

SCOTT P. Impaired macrophage leishmanicidal activity at cutaneous temperature 277

SEED J.L., see FELDMAN G.M. *et al.*

SHER A., see CHEEVER A.W. *et al.*

SHERWOOD J.A. & BARNWELL J.Q. Antibody mediated strain-specific agglutination of *Plasmodium falciparum*—parasitized erythrocytes visualized by ethidium bromide staining 659

SILVA J.C., PIRMEZ C., MORGADO M.G. & GALVO-CASTRO B. Immunopathological aspects of experimental *Trypanosoma cruzi* infection: correlation of immune complexes and other serological features with muscle lesions during the infection 457

SIMPSON A.J.G., HACKETT F., WALKER T., DE ROSSI R. & SMITHERS S.R. Antibody response against schistosomulum surface antigens and protective immunity following immunization with highly irradiated cercariae of *Schistosoma mansoni* 133

SINCLAIR I.J., see WASSALL D.A. & SINCLAIR I.J.

SMITHERS S.R., see MCLAREN D.J. *et al.*

SMITHERS S.R., see PAYARES G. *et al.*

SMITHERS S.R., see SIMPSON A.J.G. *et al.*

STADNYK A.W., see EGWANG T.G. *et al.*

STEWARD M.W., see PATTISON J.R. & STEWARD M.W.

STEWART G.L., WOOD B. & BOLEY R.B. Modulation of host response by *Trichinella pseudospiralis* 223

STOREY N., WAKELIN D. & BEHNKE J.M. The genetic control of host responses to *Dipetalonema vitae (Filariodea)* infections in mice 349

STRAND M., see DALTON J.P. *et al.*

SUBRAHMANYAM D., see CHANDRASHEK *et al.*

SUGANE K. & OSHIMA T. Induction of a marked eosinophilia by cyclophosphamide in *Toxocara canis* infected SJL mice 255

TARGETT G.A.T., see HARTE P.G. *et al.*

TITUS R.G., MARCHAND M., BOON T. & LOUIS J.A. A limiting dilution assay for quantifying Leishmani major in tissues of infected mice 545

TIU W.U., see MITCHELL *et al.*

TOM T.D., see DALTON J.P. *et al.*

TOWNSEND J. & DUFFUS W.P.H. Antibody-dependent cellular cytotoxicity of *Trypanosoma theileri* mediated by purified bovine isotypes and subisotypes 179

URQUHART G.M., see WHITELAW D.D. & URQUHART G.M.

VAN ZON A.A.J.C., ELING W.M.C., SCHETTERS T.P.M. & HERMSEN C.C. ACTH-dependent modulation of malaria immunity in mice 107

VON LICHTENBERG F., see CHEEVER A.W. *et al.*

WAKELIN D., see STOREY N. *et al.*

WAKLIN D., see ROSE M.E. *et al.*

WALKER T., see SIMPSON A.J.G. *et al.*

WASSALL D.A. & SINCLAIR I.J. The serum antibody response of infected rats, rabbits, lambs and calves to *Fasciola hepatica* adult antigen fractions separated by preparative flatbed iso-electrofocussing 359

WEISS N., see LOBOS E. & WEISS N.

WHITELAW D.D. & URQUHART G.M. Maternally derived immunity in young mice to infection with *Trypanosoma brucei* and its potentiation by Berenil chemotherapy 289

WILKINS H.A., see HAGAN P. *et al.*

WILLIAMS L., see OLDHAM G. & WILLIAMS L.

WOOD B., see STEWART G.L. *et al.*

YAMAMOTO K., ONODERA M., KATO K., KAKINUMA M., KIMURA T. & RICHARDS F.F. Involvement of suppressor cells induced with membrane fractions of trypanosomes in immunosuppression of trypanosomiasis 95